(51) 国際特許分類7:

33/14, C07C 211/61, 209/06

C09K 11/06, H05B

(21) 国際出願番号:

PCT/JP2004/016803

(22) 国際出願日:

2004年11月5日(05.11.2004)

(25) 国際出願の言語:

日本語

(26) 国際公開の言語:

日本語

Љ

(30) 優先権データ:

特願2003-377904 特願2004-255344 2003年11月7日(07.11.2003) JР 2004年9月2日(02.09.2004) JР

特願 2004-315486 2004年10月29日(29.10.2004)

(71) 出願人 (米国を除く全ての指定国について): ソニー 株式会社 (SONY CORPORATION) [JP/JP]; 〒1410001 東京都品川区北品川6丁目7番35号 Tokyo (JP).

(72) 発明者; および

(75) 発明者/出願人 (米国についてのみ): 高田 一範 (TAKADA, Ichinori). 植田 尚之 (UEDA, Naoyuki).

(74) 代理人: 中村 友之 (NAKAMURA, Tomovuki): 〒 1050001 東京都港区虎ノ門1丁目2番3号虎ノ門第 ービル 9 階 三好内外国特許事務所内 Tokyo (JP).

(81) 指定国(表示のない限り、全ての種類の国内保護が 可能): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) 指定国 (表示のない限り、全ての種類の広域保護が可 能): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD. SL, SZ, TZ, UG, ZM, ZW), ユーラシア (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ヨーロッパ (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).


添付公開書類:

国際調査報告書

[続葉有]

(54) Title: ORGANIC LIGHT-EMITTING MATERIAL AND METHOD FOR PRODUCING ORGANIC MATERIAL

(54) 発明の名称: 有機発光材料および有機材料の製造方法



(57) Abstract: Disclosed is an organic light-emitting material which is characterized by being represented by the following general formula (1) and used in a light-emitting layer of a green light-emitting device. In the general formula (1), n¹ is an integer of not less than 1 and not more than 3; R¹ represents an alkyl group having 10 or less carbon atoms; Ar1 represents a monovalent group which is derived from a monocyclic or condensed-ring aromatic hydrocarbon having 20 or less carbon atoms, and may have a substituent having 10 or less carbon atoms; and Ar2 represents a divalent group which is derived from a ring assembly including 1-3 rings, having 30 or less carbon atoms and being constituted by a monocyclic or condensed-ring aromatic hydrocarbon, and may have

tuted by a monocyclic or condensed-ring aromatic hydrocarbon, and may have a substituent having 4 or less carbon atoms. Consequently, there is provided a more highly reliable organic light-emitting material with sufficiently good luminous efficiency and color purity which is suitable for constituting a green light-emitting layer. Also disclosed is a method for producing such an organic light-emitting material.

(57) 要約: 下記一般式(1)で示され、緑色発光する素子の発光層に用いられることを特徴とする有機発光材料。ただし、一般式(1)中において、n1はO以上3以下の整数であり、R1は炭素数1O以下のアルキル基であり、Ar1は炭素数2O以下の単環あるいは縮環式芳香族炭化水素から誘導され炭素数1O以下の置換基を有しても良い一価基であり、Ar2は環数1~3の単環あるいは縮環式芳香族炭化水素で構成された炭素原子数3O以下の環集合体から誘導され炭素数4以下の置換基を有しても良い二価基である。これにより、発光効率および色純度が十 集合体から誘導され炭素数4以下の置換基を有しても良い二価基である。これにより、発光効率および色純度が十 分に良好でかつ信頼性のより高い、緑色の発光層の構成に適する有機発光材料およびその製造方法を提供すること ができる。

BEST AVAILABLE COP

2文字コード及び他の略語については、定期発行される 各*PCT*ガゼットの巻頭に掲載されている「コードと略語 のガイダンスノート」を参照。